



Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Day : Thursday

Date: 3/1/2007
Time: 13:47:58

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Freeform Search

| | |
|-----------|--|
| Database: | US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins |
| Term: | L10 and \$9steroid |
| Display: | 20 Documents in <u>Display Format:</u> Starting with Number 1 |
| Generate: | <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image |

Search History

DATE: Thursday, March 01, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name result set</u> |
|---|--|------------------|----------------------------|
| side by side | | | |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L12</u> | L10 and \$9steroid | 12 | <u>L12</u> |
| <u>L11</u> | L10 and steroid | 29 | <u>L11</u> |
| <u>L10</u> | L9 and scopine | 66 | <u>L10</u> |
| <u>L9</u> | (424/45 or 424/46 or 424/489 or 514/291 or 546/10 or 546/80 or 546/91).ccls. | 9667 | <u>L9</u> |
| <u>L8</u> | L7 and scopine | 4 | <u>L8</u> |
| <u>L7</u> | L5 and (bambuterol or bitolterol or carbuterol or clenbuterol or fenoterol or formoterol or hexoprenaline or ibuterol or pirbuterol or procaterol or reproterol or salmeterol or sulfonterol or terbutaline or tolubuterol or "4-hydroxy-7-[2-{[3-(2-phenylethoxy)propyl)sulfonyl]ethyl}amino]ethyl]-2(3H)-benzothiazolone" or "1-(2-fluoro-4-hydroxyphenyl)-2-[4-(1-benzimidazolyl)-2-methyl-2-butylamino]ethanol" or "1-[3-(4-methoxybenzylamino)-4-hydroxyphenyl]-2-[4-(1-benzimidazolyl)-2-methyl-2-butylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[3-(4-N,N-dimethylaminophenyl)-2-methyl-2-propylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[3-(4-methoxyphenyl)-2-methyl-2-propylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[3-(4-n-butyloxyphenyl)-2-methyl-2-propylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2- | 96 | <u>L7</u> |

{4-[3-(4-methoxyphenyl)-1,2,4-triazol-3-yl]-2-methyl-2-butylamino}ethanol" or "5-hydroxy-8-(1-hydroxy-2-isopropylaminobutyl)-2H-1,4-benzoxazin-3-(4-H)-one" or "1-(4-amino-3-chloro-5-trifluoromethylphenyl)-2-tert-butylamino) ethanol" or "1-(4-ethoxycarbonylamino-3-cyano-5-fluorophenyl)-2-(tert-butylamino)-ethanol")

DB=PGPB; PLUR=YES; OP=OR

L6 20040228805.pn.

1 L6

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L5 L4 same (\$9steroid and (betamimetic or (beta near5 agonist)))

160 L5

L4 "scopine 2,2-diphenylpropionate methobromide" or "scopine 2,2-diphenylpropionate" or anticholinergic

8510 L4

DB=PGPB,USPT; PLUR=YES; OP=OR

L3 (((((Michel near Pairet) AND @pd>20060917) AND @pd>20061207) AND @pd>20061207) AND @pd>20061210) AND @pd>20061213

2 L3

L2 (((((Christopher near4 Meade) AND @pd>20060917) AND @pd>20061207) AND @pd>20061207) AND @pd>20061210) AND @pd>20061213

4 L2

L1 (((((Michael near Pieper) AND @pd>20060917) AND @pd>20061207) AND @pd>20061208) AND @pd>20061210) AND @pd>20061213

3 L1

END OF SEARCH HISTORY

(FILE 'HOME' ENTERED AT 15:08:39 ON 01 MAR 2007)

FILE 'REGISTRY' ENTERED AT 15:08:58 ON 01 MAR 2007

L1 1 S SCOPINE(3A) (2(1A)2(2A)DIPHENYLPROPIONATE(2A)METHOBROMIDE)

FILE 'CAPLUS, MEDLINE, USPATFULL' ENTERED AT 15:09:48 ON 01 MAR 2007

L2 52 S L1

L3 2 S L2 (P) (STEROID OR CORTICOSTEROID OR GLUCOCORTICOIDSTEROID)

L4 2 S L2 (P) (BETAMIMETIC OR (BETA (4A) AGONIST))

L5 2 DUPLICATE REMOVE L3 (0 DUPLICATES REMOVED)

L6 2 DUPLICATE REMOVE L4 (0 DUPLICATES REMOVED)

L7 2 S L6 NOT L5

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
TI Inhalable pharmaceutical compositions containing an anticholinergic, salmeterol, and a steroid
AB A pharmaceutical composition comprises an anticholinergic, e.g., I; salmeterol xinafoate, or a hydrate, solvate, enantiomer, or mixts. of enantiomers thereof; and a steroid selected from ciclesonide, budesonide, and mometasone furoate, or a solvate or hydrate.

ACCESSION NUMBER: 2006:493091 CAPLUS
DOCUMENT NUMBER: 145:14686
TITLE: Inhalable pharmaceutical compositions containing an anticholinergic, salmeterol, and a steroid
INVENTOR(S): Pieper, Michael P.
PATENT ASSIGNEE(S): Boehringer Ingelheim International GmbH, Germany
SOURCE: U.S. Pat. Appl. Publ., 11 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|-----------------|------|----------|----------------------|----------|
| US 2006110329 | A1 | 20060525 | US 2005-273782 | 20051115 |
| DE 102004056579 | A1 | 20060524 | DE 2004-102004056579 | 20041123 |
| WO 2006056527 | A1 | 20060601 | WO 2005-EP55783 | 20051107 |

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2004-102004056579A 20041123
OTHER SOURCE(S): MARPAT 145:14686

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
TI Inhalable drugs containing a new anticholinergic, formoterol and a steroid
AB The invention concerns inhalants for the treatment of respiratory diseases that contain: (a) at least one anticholinergic (I), wherein X- is an anion with a single neg. charge; (b) a formoterol salt; (c) a steroid, selected from the group of ciclesonide, budesonide, mometasone furoate, their salts and hydrates. Thus an inhalant powder contained (μ g): I (X = Br) 50; mometasone furoate 400; formoterol hemifumarate monohydrate 5; lactose monohydrate 4545.

ACCESSION NUMBER: 2006:493075 CAPLUS
DOCUMENT NUMBER: 144:495371
TITLE: Inhalable drugs containing a new anticholinergic, formoterol and a steroid
INVENTOR(S): Pieper, Michael P.
PATENT ASSIGNEE(S): Boehringer Ingelheim Pharma G.m.b.H. & Co. K.-G., Germany
SOURCE: Ger. Offen., 18 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------------|----------|
| DE 102004056578 | A1 | 20060524 | DE 2004-102004056578 | 20041123 |
| WO 2006056526 | A1 | 20060601 | WO 2005-EP55782 | 20051107 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM | | | | |
| US 2006110330 | A1 | 20060525 | US 2005-274648 | 20051115 |
| PRIORITY APPLN. INFO.: | | | DE 2004-102004056578A | 20041123 |

L7 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
 TI Medicaments for inhalation comprising an anticholinergic and a betamimetic
 AB A pharmaceutical composition comprising an anticholinergic, e.g., tropium salt I·X- (X = anion of single neg. charge; F, Cl, Br, I, sulfate, phosphate, SO₃Me, NO₃, maleate, OAc, citrate, fumarate, tartrate, oxalate, succinate, OBz, SO₃C₆H₄Me-4; optionally as racemates, enantiomers, solvates and/or hydrates), quaternary ammonium salt II·X- [R = Me, Et], or alkaloid salt III·X- [A = bond, O, CH₂, H₂; R₁, R₂ = Me, Et, CH₂Et, CHMe₂ (optionally substituted by OH, F); R₃, R₄, R₅, R₆ = H, Me, Et, OMe, OEt, OH, F, Cl, Br, CN, CF₃, NO₂; R₇ = H, Me, Et, OMe, OEt, CH₂F, CH₂CH₂F, OCH₂F, OCH₂CH₂F, CH₂OH, CH₂CH₂OH, CF₃, CH₂OMe, CH₂CH₂OMe, CH₂OEt, CH₂CH₂OEt, OAc, OC(:O)Et, OC(:O)CF₃, F, Cl, Br], and a betamimetic, e.g., quinolone IV or its enantiomers, optionally together with a pharmaceutically acceptable excipient, the anticholinergic and the betamimetic optionally in the form of their enantiomers, mixts. of their enantiomers, their racemates, their solvates, or their hydrates, processes for preparing them, and their use in the treatment of asthma, COPD, or other inflammatory or obstructive respiratory complaints.

ACCESSION NUMBER: 2005:98819 CAPLUS
 DOCUMENT NUMBER: 142:198250
 TITLE: Medicaments for inhalation comprising an anticholinergic and a betamimetic
 INVENTOR(S): Meade, Christopher John Montague; Pairet, Michel; Pieper, Michael P.; Konetzki, Ingo
 PATENT ASSIGNEE(S): Boehringer Ingelheim International G.m.b.H., Germany
 SOURCE: U.S. Pat. Appl. Publ., 33 pp.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|--|-----------------|------------|
| US 2005025718 | A1 | 20050203 | US 2004-891564 | 20040715 |
| CA 2534120 | A1 | 20050217 | CA 2004-2534120 | 20040717 |
| WO 2005013994 | A1 | 20050217 | WO 2004-EP8013 | 20040717 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| EP 1651224 | A1 | 20060503 | EP 2004-741123 | 20040717 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK | | | | |
| JP 2007500676 | T | 20070118 | JP 2006-521457 | 20040717 |
| PRIORITY APPLN. INFO.: | | | EP 2003-17349 | A 20030731 |
| | | | US 2003-508124P | P 20031002 |
| | | | WO 2004-EP8013 | W 20040717 |
| OTHER SOURCE(S): | | CASREACT 142:198250; MARPAT 142:198250 | | |

L7 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN
 TI Medicaments containing betamimetic drugs and a novel anticholinesterase drug for treating respiratory tract diseases
 AB The invention relates to novel medicament compns. based on long-acting β ₂ agonists and salts I·X- [X = simple anion (Cl, Br, I, sulfate, phosphate, O₃Me, NO₃, maleate, OAc, citrate, fumarate, tartrate,

oxalate, succinate, O₂CPh, OTs)], of a novel anticholinesterase drug I, to methods for the production of these compns. and their use in treating respiratory tract diseases. The invention also relates to the combination of I with one or more biomimetics II [R₁, R₂ = H, C₁-4-alkyl; R₃, R₄ = H, C₁-4-alkyl, O-(C₁-4-alkyl), (C₁-4-alkylene)-O-(C₁-4-alkyl); R₃R₄ = C₁-4-alkylene, O-(C₁-4-alkylene)-O], their enantiomers, mixts., racemates, solvates, hydrates or with salmeterol, formoterol or their acid addition salts. Thus, an example inhalation powder formulation comprises I·Br- and II·HO₂CCH:CHCO₂H-(Z) (R₁ = R₂ = H, R₃ = R₄ = Et) and lactose.

ACCESSION NUMBER: 2003:837083 CAPLUS
DOCUMENT NUMBER: 139:341650
TITLE: Medicaments containing betamimetic drugs and a novel anticholinesterase drug for treating respiratory tract diseases
INVENTOR(S): Banholzer, Rolf; Meade, Christopher John Montague; Meissner, Helmut; Morschhaeuser, Gerd; Pairet, Michel; Pieper, Michael P.; Pohl, Gerald; Reichl, Richard; Speck, Georg; Konetzki, Ingo
PATENT ASSIGNEE(S): Boehringer Ingelheim Pharma G.m.b.H. & Co. K.-G., Germany
SOURCE: PCT Int. Appl., 45 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|------------------|-------------|
| WO 2003087097 | A1 | 20031023 | WO 2003-EP3669 | 20030409 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| DE 10256317 | A1 | 20031023 | DE 2002-10256317 | 20021203 |
| US 2004010003 | A1 | 20040115 | US 2003-395501 | 20030324 |
| CA 2481468 | A1 | 20031023 | CA 2003-2481468 | 20030409 |
| AU 2003232201 | A1 | 20031027 | AU 2003-232201 | 20030409 |
| EP 1497289 | A1 | 20050119 | EP 2003-746158 | 20030409 |
| EP 1497289 | B1 | 20050824 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | | |
| BR 2003009185 | A | 20050215 | BR 2003-9185 | 20030409 |
| CN 1646527 | A | 20050727 | CN 2003-808330 | 20030409 |
| AT 302774 | T | 20050915 | AT 2003-746158 | 20030409 |
| JP 2005529111 | T | 20050929 | JP 2003-584053 | 20030409 |
| EP 1586574 | A1 | 20051019 | EP 2005-10708 | 20030409 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | | |
| PT 1497289 | T | 20051130 | PT 2003-746158 | 20030409 |
| ES 2248767 | T3 | 20060316 | ES 2003-3746158 | 20030409 |
| NO 2004004107 | A | 20041104 | NO 2004-4107 | 20040927 |
| PRIORITY APPLN. INFO.: | | | | |
| | | | DE 2002-10216428 | A 20020412 |
| | | | DE 2002-10256317 | A 20021203 |
| | | | US 2002-386160P | P 20020605 |
| | | | EP 2003-746158 | A3 20030409 |
| | | | WO 2003-EP3669 | W 20030409 |

OTHER SOURCE(S):
REFERENCE COUNT:

MARPAT 139:341650

3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

WEST Search History

DATE: Thursday, March 01, 2007

| Hide? | <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> |
|--------------------------|---------------------------|--|----------------------------|
| | | <i>DB=PGPB; PLUR=YES; OP=OR</i> | |
| <input type="checkbox"/> | L4 | L2 NOT L3 | 82 |
| <input type="checkbox"/> | L3 | L2 and scopine | 2 |
| <input type="checkbox"/> | L2 | L1 and pharmaceutical | 84 |
| | | ((bambuterol or bitolterol or carbuterol or clenbuterol or fenoterol or formoterol or hexoprenaline or ibuterol or pirbuterol or procaterol or reproterol or salmeterol or sulfoneterol or terbutaline or tolubuterol or "4-hydroxy-7-[2-{[3-(2-phenylethoxy)propyl]sulfonyl}ethyl]amino}ethyl]-2(3H)-benzothiazolone" or "1-(2-fluoro-4-hydroxyphenyl)-2-[4-(1-benzimidazolyl)-2-methyl-2-butylamino]ethanol" or "1-[3-(4-methoxybenzylamino)-4-hydroxyphenyl]-2-[4-(1-benzimidazolyl)-2-methyl-2-butylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[3-(4-N,N-dimethylaminophenyl)-2-methyl-2-propylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[3-(4-methoxyphenyl)-2-methyl-2-propylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[3-(4-n-butyloxyphenyl)-2-methyl-2-propylamino]ethanol" or "1-[2H-5-hydroxy-3-oxo-4H-1,4-benzoxazin-8-yl]-2-[4-{3-(4-methoxyphenyl)-1,2,4-triazol-3-yl]-2-methyl-2-butylamino}ethanol" or "5-hydroxy-8-(1-hydroxy-2-isopropylaminobutyl)-2H-1,4-benzoxazin-3-(4H)-one" or "1-(4-amino-3-chloro-5-trifluoromethylphenyl)-2-tert-butylamino)ethanol" or "1-(4-ethoxycarbonylamino-3-cyano-5-fluorophenyl)-2-(tert-butylamino)-ethanol") and (anticholinergic or scopine) and (\$9steroid or flunisolide or beclomethasone or triamcinolone of budesonide or fluticasone or mometasone or ciclesonide or rofleponide or GW215864 or KSR592 or "ST-126" or dexamethasone)).clm. | 98 |

END OF SEARCH HISTORY